

# Tabela Grating Barra/Varão

EMPARRILLADO ELECTROFUNDIDO														
Fv = CARGA UNIFORMEMENTE REPARTIDA							Fp = CARGA EN ZONA DE 200 x 200							
PASO PEATONES FRECUENTE			PASO PEATONES OCASIONAL					PASO PEATONES DESACONSEJADO						
S (mm)	Pletina portante	MALLA DE 30x30												
		TIPO STANDARD							ALTA RESISTENCIA					
		20x3	25x2	25x3	30x2	30x3	40x2	40x3	30x5	40x5	50x5	60x5	70x5	80x5
500	Fv	2983	3107	4661	4474	6711	7954	11931	11186	19885	31071	44742	60899	79542
	Fp	257	265	391	388	577	679	1002	939	1670	2652	3756	5113	6678
600	Fv	2071	2158	3237	3107	4661	5524	8286	7786	13809	21577	31071	42291	55237
	Fp	205	212	313	310	462	543	801	751	1336	2121	3005	4090	5342
700	Fv	1522	1585	2378	2283	3424	4058	6087	5707	10146	15853	22828	30171	40583
	Fp	171	177	261	258	385	453	668	626	1113	1768	2504	3409	4452
800	Fv	1165	1214	1821	1748	2621	3107	4661	4369	7768	12137	17477	23798	31071
	Fp	147	152	224	222	330	388	572	537	954	1515	2147	2922	3816
900	Fv	921	959	1439	1381	2071	2455	3683	3452	6138	9590	13809	18796	24550
	Fp	128	133	196	194	289	340	501	470	835	1326	1878	2556	3339
1000	Fv		777	1165	1119	1678	1988	2983	2796	4971	7768	11186	15225	19885
	Fp		118	174	172	257	302	445	417	742	1179	1670	2272	2968
1100	Fv		642	963	924	1387	1643	2465	2311	4109	6420	9244	12582	16434
	Fp		106	157	155	231	272	401	376	668	1061	1503	2045	2671
1200	Fv		539	809	777	1165	1381	2071	1942	3452	5394	7768	10537	13809
	Fp		96	142	141	210	247	364	341	607	964	1366	1860	2428